Inaugural Dipertation Submitted Possed March 19 th 1824 W. E. H. The Faculty of Dean The University of Pennsylvania For the Degree of Doctor of Medicine Mexander B. Cralle of Virginia.

The vast importance of the stomach in the animal economy, in which perhaps it occu pies the highest rank; located as it is in the centre of our system, and the intimate and multiplied relations existing between it and the rest of the system, render it incident to a great variety of diseases, exceedingly inter esting and important. But it is to that par tienlar disease tirmed gastritis by the Mosologists to which I shall confine my observations. This disease belongs to the Class Propresies and order Phligmasiae of Dr. Cullen, and is divi ded by that author into two kinds; the Phlog Monie and Engthematic, according as one or the other of the coals of that organ is the seat of the disease; the first being seated in the neroons coal of that organ, or the peritoneum investing it

On Sasbulis

The seast emperiones of the Sunship in its mount be covering in which from his is a couper the highest parks print a print as it a couter to be if you septem, and be extended and mallelant selection successing below in a be given speciely of shiring a manning by with alongs and importants But it is to that for the short bearing the end of the his hardyst

When Edward Schong of the Belgh Dispasses and water Delay Delay Scholar School School School Delay School S

The Second always in the willows work and celler less listing incomediately surficient. But Their last seems to be a peculiar action of the Stomach and foregaintly, if not generally accompanies the last stage of Madignant forest. We shall these fore paper on to the consideration of the more as tion inflammation of their organ.

This symptoms by which inflammation of the stomach may be denoted, I shall endeavour to enumerate, but before being so it may be me expany, perhaps to say something concerning its lawses.

They appear to be all those which produce in flammation in general; though more particular ly by exposure to cold, by taking cold drink with the stomach when the broay is much heald by exercise; or by swallowing Stimulant; acid, or privanous articles; it is sometimes produced by overdistintion, from having taken in a large

The beams about to the colour cut into the feel of the board of the bo

Sunce have be death to have meeting to be a supplied of the su

have the in gover they are in the control of the co

quantity of food of difficult digestion. It may also be excited by external violence, as blows, or falls, and it is said to be sometimes the con segumen of supeled or Mispland good; or the receiption of craftion diseases from the surface to the Stornach.

Symptoms.

The symptoms of gas tribe, are an acute pain in some ports of the region of the stomach; some ones to the stomach; some map to the trick, attended with facer, and pre quent something; especially when any thing is taken in the more advanced that is the more advanced stages training about the epigestrie and ambed ical regions. The pulse come from the communeum the small regions. The pales will be small and ambed to small the frequent great, bard and corder, the palishests stangeth being in a greater degree of prostration, then in any other of the Philip marial. The disease sums on with great rapid city, and if hely limity assessed is attended

by an aggreration of all the preceding symptoms particularly those of stellity. In this stage symptoms proper progress the surface cold and moviet; land countinance, the surface cold and moviet, land countinance, which administration of the pulse; hereup with occasional sometime of a dark matter, a blatalent distinction of the abbonium, and for quently low delivium.

These are generally the precursors of gaugene, and in some instances indicate its actual excitance.

Such as I have mentioned an the ordinary symptoms which belong to gastricks, but there are a great variety of amount ones affections which sometimes attend this disease. I surgador in stance of this fact, was related by Its bhopmon in his locative on this disease, in which the most remarkable circumstance attending the late was a violent inflammation and pain in the

great toe executing polagoo. He also observed that In Physic had met with instances of a similar nature. Paralysis is also not a very unfrequent incident in inflammation of the stomach: an intolesance of light, and an arm simon to drink also sometimes attend this disease.

From the sunsitelety of the stormech and the segment pathy existing interior it and the rest of the segmentation, it is observed that an inflammation of the organ may to minate fatally, without running the common course of inflammation pasticularly by the great lagree of debility, which such an inflammation inddenty produced.

When it continues long enough to follow the ordinary course of other inflammations, it may terminate by resolution, gangrene, or sufferentiam. It selson terminates in seconder whise so it is said to do, by some hosologists.

When this disease arises from no violent cause and is attended by a moderate state of the Symptoms, and with a gradual remission of These, especially when the proper remedies have been employed in the first week; the disease is said to admit of resolution. When the symptoms continue in a moderate digree for more than one or two weeks, and is attended also by a considerable remission of pain, while a sensation of heveness and anxiety still remain, the disease is said to have a tendency to terminate by suppuration. When an abup has formed, the juguency of the pulse is at first some what about ; but soon after it is again increased, with frequent cold Shiverings, and with marked exacerba tions in the evening, followed by propuse night sweats, and other symptoms of hectic fiver. These after a while prove fatal in.

If the about open into the lavely of the sto much, the pres being exacuated by vomiting, and the uleer soon heal.

When the dysoptems continue wishest, not welling he the remodes employed during the first days of the hereast, it may be said to have a tendency to gangers. Sad the existence of gangers which while the true is a sudden remission of pain, while the pregunery of the pulse continues, and at the same time becomes weaker, seconfamile by other marks of an increasing debility in the whole system.

Treatment.

The leading indirections of eurs in This disease are berry obscious. He have a nictual inflammation situated in the most delicate organ, and dise tinguisted by a sufficiety of prograp not of time witnessed in the inflammation of other

organs. It is therefore newpary to apply the most efficient remedies in The early stage of the disease. Venescotion is admitted by all to stand first on the list of our semedies. Totally regardless of the state of pulse, or the apparent prostration of strength, it is our duty to bleed frequently and copiously; for such is the rapid progress of this disease, that a few hours delay makes a mostmaterial difference in the ipue. As to the quantity of blood to be drawn, there is no established rule; but if the patient be an adult of a tolerably robust constitution it will be proper to take from twenty to this ity owners at once from the arm. And itwill sometimes be necessary to repeat it, the Same day. As we deplete, the pulse becomes ful eler and soften, and the system recovers from its apparent prostoation, and a case of

ordinary inflammation will be develloped infin itely more manageable than the state which had preceded it The copious bleeding which has already been mentioned wile not always suffice in gastritis. For in the course of the first or second day after the operation of phlebotomy, the symptoms will be very little or not at all alleviated. In such ca ses it will be meepary to repeat the oppora tion and to the same extent as before. The small and frequently uprated blood lettings accommended by some authors, are wholly inefficient to the cure of this disease. For then is searcely any disease so aft to de ceive the practitioner as this owing to the few symptoms, which characterize ordinary inflammation being present. We are there for frequently induced to compide in rem edies infinitely lep operation than venesation.

Seat to blood letting, blisters are the most important semidies, in the Instrument of this direct. They should be large enough to war the whole of the Homach, enundately over which they should be applied; cooperating with the same design, formatations to the absormen as important semidies. The absormen as important semines boths wrong out of his water, or spiritous liques or bladders filled with hot water, will assure the purpose very well.

Tuch is the instability of the stomach in this thinker, that we are in a quart pursuant pur clouded from the exe of internal remidies; every thing taken into this organ being all most inemetiately sepretted. It is however, of great importance to open the bowerles, and ander such investment in the less authory to see or the limit infections;

and as their rum to operate chiefly by muchan wind distintion, they chould compart of the published inguismet, and be thrown up the pretium in large generation. They should also be forguestly seperated, by which means they have the live first effect of keeping, the bowels in a soluble cloth, and acting as former whose is in a soluble cloth, and acting as former whom so to the intertions.

As soon as the stomach with promit we should administer ladatives, or purges; and the articles generally near her to, an laster six or coloniel, perhaps the latter write may have the perfecel, as it is known easily to stained than the former. Exprome salts is the a valuable prediction in this disease, it being sometimes petained when all other arbitles are rejected.

It is an important indication in gastintis to calm the irritability of the stomach; and

for this parpose we chould, in the early Mages of the direct, give lime distir and milk or the effection. When to all the fail, we chould make severe to anodayne infections. The beauth with a severe to anodayne infections. The beauth both is also a useful run wide, but Should not be eased, with the rise wing, but Should not be eased, with the rise wince of the enflammation to subtured by the meeting alphating securious.

Demuleust kinks an seconomental by most authors, but they seem to increase the is relativity of the stomach, and we think thould be sparingly used, purticularly in the communements of the attack tour to alloy thirty, persy small portions of any light should be allowed touch water aucus this perspect only well.

When the symptoms of an approaching yan green appear, Opinson is principally to be policed on. Among the many other valuable

Ot Terebrath. what Down

properties of this article, at popeopes that of asserting a tendency to gangine and partifications, but if Opicion fail under their circumstances, so whould serve to the Spirits of terspertine, which is in this dash stage of the kneese, one of the most valuable of our medics.



